Alaska
Porcelain Stone®



Alaska

Porcelain Stone®

The latest Frontier in Tile

Explore undiscovered regions of space with Alaska by Crossville. This subtle, modern Terrazzo look will allow you to create uninhibited design. The nature inspired, tone on tone visuals of Alaska will coordinate with other Crossville lines, and the vast size of the 24 x 48 will allow uncharted possibilities. As light passes across the tiles, catch a glimpse of shine, due to the dual finish reminiscent of true terrazzo. Digital Plus technology provides ultra realistic graphics, and the quality of Crossville products guarantees a performance unheard of in traditional materials.

Alaska's color palette will give you neutrals like no other. Range of sizes from 24 x 48 to 12 x 24, will create endless possibilities especially when paired with one of the stunning mosaics, 2 x 2 or the new 12 piece polygon mosaic. Trim pieces of a 4 x 24 bullnose along with the 6 x 12 cove base will round out your design needs.

Explore the latest Frontier in Tile with Alaska

- Coordinates with other Crossville products
- New polygon mosaic along with a standard 2x2 mosaic
- · Coordinating trim
- Dual finish for true terrazzo look





ASK02 ▶ Bone 24 x 24 UPS

Color Palette

Available Colors



ASK01 ▶ Ice UPS



ASK03 ▶ Mink UPS




ASK05 ▶ Tundra UPS



ASK02 ▶ Bone UPS



ASK04 ▶ Glacier UPS



Mosaics



ASK01.10202MOS Ice 2x2 Mosaic UPS



ASK01.1POLYMOS Ice Polygon Mosaic UPS



ASK02.10202MOS Bone 2x2 Mosaic UPS



ASK02.1POLYMOSBone Polygon Mosaic UPS



ASK03.10202MOS Mink 2x2 Mosaic UPS




ASKO3.1POLYMOS Mink Polygon Mosaic UPS




ASK04.10202MOSGlacier 2x2 Mosaic UPS



ASK04.1POLYMOSGlacier Polygon Mosaic UPS





ASK05.10202MOS Tundra 2x2 Mosaic UPS



ASK05.1POLYMOS Tundra Polygon Mosaic UPS

Specifications

Sizes (Shown in ASKO3)









2 x 2 Square Mosaic UPS Finish (Mounted on a 12 x 12 sheet.)



Polygon Mosaic (Mounted on a 13 x 15 sheet.)

Get Planked!

Our Porcelain Stone® products are available in popular plank shapes with no minimum order and quick fulfill-

See website for more details and sizes.



Sizes & Finishes

Field Tile	1	Available in all colors	S
Nominal (in)	Actual (mm)	Thickness (mm)	Finish
12 x 24	297 x 597	10.5	UPS
24 x 24	597 x 597	10.5	UPS
24 x 48	597 x 1197	10.5	UPS

Crossville recommends a grout joint of $3\mathrm{mm}.$

Actual measurements stated in inches indicate tile is calibrated (non-rectified).

Actual measurements stated in mm indicate tile is rectified.

Mosaics		Available in all colors	
Nominal (in)	Sheet Size (mm)	Thickness (mm)	Finish
2 x 2 Square Mosaic*	298 x 298	10.5	UPS
Polygon Mosaic**	341 x 385	10.5	UPS

Coordinating Trim

Nominal (in)	Actual (mm)	Thickness (mm)	Finish
6 x 12 Cove Base	150 x 297	10	UPS
4 x 24 Single Bullnose	97 x 597	10.5	UPS



6 x 12 Cove Base



4 x 24 Bullnose

Product Performance


Floudet Fellolliance		
Breaking Strength	>500 lbf	ASTM C648
Bond Strength	>200 psi	ASTM C482
Chemical Resistance	Unaffected	ASTM C650
Frost Resistance	Resistant	ASTM C1026
Water Absorption	<0.20%	ASTM C373
Scratch Hardness	7	Mohs Scale

Wet Dynamic Coefficient of Friction Range

UPS 0.42 - 0.32 ACUTES!***	UPS	0.42 - 0.52	AcuTestsm
----------------------------	-----	-------------	-----------

Shade & Texture Index

Alaska has a shade variation of V2.



V2 Slight Variation

This porcelain tile product is produced with a V2 variation. Expect that the amount of color and texture on each piece may vary slightly. Inspect the product upon delivery and for best results, blend tile from several cartons during installation.

^{*}Mounted on 12×12 sheet with 3mm grout joints **Mounted on 13×15 sheet with 2mm grout joints

Alaska

Crossville, Inc.

PO Box 1168 Crossville, TN 38557 **Phone** 931.484.2110 **Fax** 931.456.2956

E-Mail Crossc@CrossvilleInc.com
Web CrossvilleInc.com

Recommended Use

Alaska is recommended for interior floors, walls, countertops, and exterior walls in both residential and commercial applications. Alaska is not recommended for exterior horizontal surfaces or exterior paving. If offset pattern is required for tiles 15 inches or longer, Crossville® recommends an offset of not greater than 33%. See CrossvilleInc.com for detailed installation instructions.

Wet Area Use for Alaska Mosaics

Crossville® produces the Alaska 2×2 and Polygon mosaics with the Cross-Sheen® (UPS) finish. The AcuTestsm wet Dynamic COF of Alaska is ≥ 0.42 . Their small sizes ensure frequent grout joints which provides traction and drainage. Crossville cannot control situations involving incorrect installation, improper slope to the drain for elimination of standing water and poor surface cleaning.

This information is provided so that customers may make a realistic and informed decision when comparing Alaska to other tile products in wet area environments, such as residential/commercial bathrooms, showers, and interior pool decks.

Information listed here is subject to change. Please refer to CrossvilleInc.com for the latest, most accurate information.

Care and Maintenance

Regular cleaning is the best way to keep Alaska tile looking good for years to come. Use clean, hot water (combined with a household cleaner for more aggressive cleaning). Rinse thoroughly and dry with a soft cloth. No waxes are needed. More information regarding the care and maintenance of Crossville® products is available at CrossvilleInc.com.

Hydrotect

Our porcelain tiles are available with Hydrotect. Crossville's revolutionary invisible coating harnesses the power of light, water, and oxygen to create the best defense against dirt and pollution. Whether indoors or out, floors and walls stay cleaner, providing a superior experience in any space. For complete details check our website at Crossvillelnc.com.

WHYDROTECT

by **CROSSVILLE**.



Photo right:

Floor: **ASK04** ▶ Glacier 24 x 48 UPS Wall: **ASK04** ▶ Glacier Polygon Mosaics

On the cover:

ASK03 ▶ Mink 24 x 48 UPS







